ELSEVIER

Analytica Chimica Acta 290 (1994) 379–382

ANALYTICA CHIMICA ACTA

AUTHOR INDEX

Aaron, J.-J., see Laassis, B. 27
Aaron, J.J., see Gaye-Seye, M.D. 166
Alegret, S., see Martorell, D. 343
Alexiev, A.A., see Angelova, M.G. 363
Alsina, M.A., see Ardite, E. 75
Alsina, M.A., see Gómez, V. 65
Angelova, M.G.
— and Alexiev, A.A.
Kinetic spectrophotometric method for the determination of urinary cobalt based on its catalytic effect on the oxidation of L-adrenaline hydrochloride by hydrogen peroxide 363
Ardite, E.
—, Egea, M.A., Haro, I., Reig, F. and Alsina, M.A.
Conformational changes and physicochemical properties of transferrin upon derivatization with cholesterol 75
Asari, T.P.S., see Raje, N. 371

Baeyens, W.R.G., see Imai, K. 3
Baeyens, W.R.G., see Townsend, R.W. 130
Bermejo Martín-Lázaro, A.J., see Hernández García, J. 146
Betancort Rodríguez, J.R., see Hernández García, J. 146
Billsten, P., see Clark, S.R. 21
Blais, J., see Rieutord, A. 215
Bosmans, E., see De Boever, J.G. 239
Bourget, Ph., see Rieutord, A. 215
Brinkman, U.A.Th., see Mank, A.J.G. 103
Brinkman, U.A.Th., see Somsen, G.W. 269
Bürgin Schaller, R.
— and Pretsch, E.
A computer program for the automatic estimation of ^{1}H NMR chemical shifts 295

Calokerinos, A.C., see Deftereos, N.T. 190
Calokerinos, A.C., see Halvatzis, S.A. 172
Céspedes, F., see Martorell, D. 343
Chen, H.-Y., see Wang, X.-M. 349
Chourpa, I., see Sharonov, S. 40
Clark, S.R.
—, Billsten, P., Mandenius, C.-F. and Elwing, H.
Fluorimetric investigation of recombinant human growth hormone adsorbed on silica nanoparticles 21
Colomé, C., see Gómez, V. 65
Cook, W.L., see Jezorek, J.R. 303

Cuesta Sánchez, F.
—, Khots, M.S. and Massart, D.L.
Algorithms for the assessment of peak purity in liquid chromatography with photodiode-array detection. Part II 249

De Backer, B.L.
— and Nagels, L.J.
Potentiometric detection of organic acids in ion-exclusion chromatography using different types of liquid-membrane electrodes 259
De Boever, J.G.
—, Kohen, F. and Bosmans, E.
Binding of homologous and heterologous isoluminol- and enzyme-labelled progesterone conjugates to monoclonal antibodies 239
—, Martens, G. and Kohen, F.
Direct chemiluminescence immunoassay of estriol and progesterone and their ratio during pregnancy 233
Deftereos, N.T.
— and Calokerinos, A.C.
Flow-injection chemiluminometric determination of steroids 190
De Jong, M.M., see Niederländer, H.A.G. 201
Dinant Kroese, E., see Jansen, E.H.J.M. 86
Dirjal, N.K.
—, Holbrook, K.A. and Wells, P.B.
Stoichiometric measurements in nickel–hypophosphite baths for electroless deposition 287
Drevenkar, V.
—, Štengl, B. and Fröbe, Z.
Microanalysis of dialkylphosphorus metabolites of organophosphorus pesticides in human blood by capillary gas chromatography and by phosphorus-selective and ion trap detection 277
Dzhekova-Stojkova, S., see Trajkovska, S. 246

Egea, M.A., see Ardite, E. 75
Elwing, H., see Clark, S.R. 21

Fente, C., see Traoré, F. 94
Feofanov, A., see Sharonov, S. 40
Fröbe, Z., see Drevenkar, V. 277
Furusawa, M., see Kiba, N. 357

Gachanja, A.
— and Worsfold, P.
Determination of aliphatic carboxylic acids in non-aqueous matrices by liquid chromatography with peroxyoxalate chemiluminescence detection 226
Gangadharan, S., see Raje, N. 371
Gaye-Seye, M.D.
— and Aaron, J.J.
Analysis of mixtures of purines and pyrimidines by synchronous room-temperature phosphorescence spectroscopy 166
Gómez, V.
—, Colomé, C., Reig, F., Rodríguez, L. and Alsina, M.A.
Effect of reductive alkylation on transferrin conformation and physicochemical properties 65
Gooijer, C., see Mank, A.J.G. 103
Gooijer, C., see Niederländer, H.A.G. 201
Gooijer, C., see Somsen, G.W. 269

Haggart, R.
Cooled slow-scan charged coupled device imaging fluorimeter 48
Halvatzis, S.A.
—, Mihalatos, A.M., Palilis, L.P. and Calokerinos, A.C.
Continuous-flow chemiluminometric determination of amiloride and streptomycin by oxidation with *N*-bromosuccinimide 172
Hara, H.
—, Takahashi, K. and Ohkubo, H.
Nitrate ion-sensitive field effect transistor based on bis(bathocuproin)-copper(I) nitrate dissolved in solid solvents 329
Haro, I., see Ardite, E. 75
Hernàndez-Borrell, J., see Montero, M.T. 58
Hernández García, J.
—, Betancort Rodríguez, J.R., Bermejo Martín-Lázaro, A.J. and Santana Rodríguez, J.J.
Sensitive spectrofluorimetric determination of 3,3′,4,4′-tetrachlorobiphenyl using a neutral micellar medium 146
Hofstraat, J.W.
—, Van Zeijl, W.J.M., Peeters, J.C.H. and Peperzak, L.
Flow cytometry: fast and quantitative characterization of particles in suspension 135
Holbrook, K.A., see Dirjal, N.K. 287

Imai, K.
—, Uzu, S., Kanda, S. and Baeyens, W.R.G.
Availability of fluorogenic reagents having a benzofurazan structure in the biosciences. Review 3
Ioannou, P.C., see Konstantianos, D.G. 34
Ioannou, P.C., see Lianidou, E.S. 159

Jansen, E.H.J.M.
—, Van den Berg, R.H. and Dinant Kroese, E.
Liquid chromatographic analysis and stability of benzo[*a*]pyrene-tetrols in blood protein adducts in rats after exposure to benzo[*a*]pyrene 86
Jezorek, J.R.
—, Tang, J., Cook, W.L., Obie, R., Ji, D. and Rowe, J.M.
Aspects of the synthesis, characterization and metal–ligand stoichiometry of aminopropyl, nitrobenzamide, and 8-quinolinol silica gels 303
Ji, D., see Jezorek, J.R. 303
Johansson, G., see Kronkvist, K. 335
Johnson, D.C., see Vandeberg, P.J. 317
Juskowiak, B.
— and Szczepaniak, W.
Binaphthyl-based fluorescent amphiphiles for analytical systems based on energy transfer 121

Kanda, S., see Imai, K. 3
Kayasth, S., see Raje, N. 371
Keough, K.M.W., see Montero, M.T. 58
Khokhar, M.Y.
—, Miller, J.N. and Seare, N.J.
Heterogeneous fluorescence immunoassays using flow-injection analysis with protein G solid phase reactors 154
Khots, M.S., see Cuesta Sánchez, F. 249
Kiba, N.
—, Koemado, H. and Furusawa, M.
Flow-injection determination of 3-hydroxybutyrate in serum with an immobilized 3-hydroxybutyrate dehydrogenase reactor and chemiluminescence detection 357
Koemado, H., see Kiba, N. 357
Kohen, F., see De Boever, J.G. 233, 239
Konstantianos, D.G.
—, Ioannou, P.C. and Stratikos, E.
Simultaneous determination of naproxen and its desmethyl metabolite in human serum by second-derivative synchronous fluorescence spectrometry 34
Kostovska, S., see Trajkovska, S. 246
Kronkvist, K.
—, Wallentin, K. and Johansson, G.
Selective enzyme amplification of NAD^+/NADH using coimmobilized glycerol dehydrogenase and diaphorase with amperometric detection 335
Kursa, A., see Olszowski, S. 186

Laassis, B.
—, Aaron, J.-J. and Mahedero, M.C.
Photochemically induced fluorescence determination of biomedically important phenothiazines in aqueous media at different pH values 27
Li, S.-Y., see Wang, X.-M. 349
Lianidou, E.S.
—, Ioannou, P.C. and Sacharidou, E.
Second derivative synchronous scanning fluorescence spectrometry as a sensitive detection technique in immunoassays. Application to the determination of α-fetoprotein 159
Lingeman, H., see Mank, A.J.G. 103

Mahedero, M.C., see Laassis, B. 27
Mahuzier, G., see Rieutord, A. 215
Mahuzier, G., see Traoré, F. 94
Mandenius, C.-F., see Clark, S.R. 21

Manfait, M., see Sharonov, S. 40
Mank, A.J.G.
—, Gooijer, C., Lingeman, H., Velthorst, N.H. and Brinkman, U.A.Th.
Selective and sensitive in vitro detection method for aluminum phthalocyanine photosensitizers, using liquid chromatography and diode-laser induced fluorescence 103
Martens, G., see De Boever, J.G. 233
Martínez-Fàbregas, E., see Martorell, D. 343
Martorell, D.
—, Céspedes, F., Martínez-Fàbregas, E. and Alegret, S.
Amperometric determination of pesticides using a biosensor based on a polishable graphite-epoxy biocomposite 343
Massart, D.L., see Cuesta Sánchez, F. 249
Mihalatos, A.M., see Halvatzis, S.A. 172
Miller, J.N., see Khokhar, M.Y. 154
Montero, M.T.
—, Hernàndez-Borrell, J., Nag, K. and Keough, K.M.W.
Fluoroquinolone distribution in a phospholipid environment studied by spectrofluorimetry 58
Morjani, H., see Sharonov, S. 40

Nabiev, I., see Sharonov, S. 40
Nag, K., see Montero, M.T. 58
Nagels, L.J., see De Backer, B.L. 259
Niederländer, H.A.G.
—, De Jong, M.M., Gooijer, C. and Velthorst, N.H.
Flow injection system for determination of singlet oxygen quenching efficiencies utilizing on-line dioxetane chemiluminescence detection 201
Nikokavouras, J., see Papadopoulos, K. 179

Obie, R., see Jezorek, J.R. 303
Ohkubo, H., see Hara, H. 329
Olszowska, E., see Olszowski, S. 186
Olszowski, S.
—, Olszowska, E., Stelmaszyńska, T. and Kursa, A.
Influence of native and oxidized proteins on tumour necrosis factor preactivated PMN leukocytes 186

Palilis, L.P., see Halvatzis, S.A. 172
Papadopoulos, K.
—, Spartalis, S. and Nikokavouras, J.
Chemiluminescence in organized molecular assemblies: lucigenin derivatives containing long alkyl chains in micellar media 179
Peeters, J.C.H., see Hofstraat, J.W. 135
Peperzak, L., see Hofstraat, J.W. 135
Pretsch, E., see Bürgin Schaller, R. 295
Prognon, P., see Rieutord, A. 215
Prognon, P., see Traoré, F. 94

Raje, N.
—, Kayasth, S., Asari, T.P.S. and Gangadharan, S.
Preconcentration of trace elements from high-purity thorium and uranium on Chelex-100 and determination by graphite furnace atomic absorption spectrometry with Zeeman-effect background correction 371
Reig, F., see Ardite, E. 75
Reig, F., see Gómez, V. 65
Rieutord, A.
—, Vazquez, L., Soursac, M., Prognon, P., Blais, J., Bourget, Ph. and Mahuzier, G.
Fluoroquinolones as sensitizers of lanthanide fluorescence: application to the liquid chromatographic determination of ciprofloxacin using terbium 215
Rodríguez, L., see Gómez, V. 65
Rowe, J.M., see Jezorek, J.R. 303

Sacharidou, E., see Lianidou, E.S. 159
Santana Rodríguez, J.J., see Hernández García, J. 146
Schulman, S.G., see Townsend, R.W. 130
Seare, N.J., see Khokhar, M.Y. 154
Sharonov, S.
—, Chourpa, I., Morjani, H., Nabiev, I., Manfait, M. and Feofanov, A.
Confocal spectral imaging analysis in studies of the spatial distribution of antitumour drugs within living cancer cells 40
Somsen, G.W.
—, Van Stee, L.P.P., Gooijer, C., Brinkman, U.A.Th., Velthorst, N.H. and Visser, T.
Isomer and congener identification of chlorinated pyrenes by narrow-bore liquid chromatography–Fourier transform infrared spectrometry 269
Soursac, M., see Rieutord, A. 215
Spartalis, S., see Papadopoulos, K. 179
Stelmaszyńska, T., see Olszowski, S. 186
Štengl, B., see Drevenkar, V. 277
Stratikos, E., see Konstantianos, D.G. 34
Szczepaniak, W., see Juskowiak, B. 121

Takahashi, K., see Hara, H. 329
Tang, J., see Jezorek, J.R. 303
Townsend, R.W.
—, Schulman, S.G. and Baeyens, W.R.G.
Photohydrolysis of 6-methoxyquinoline in aqueous acetonitrile: pOH in alkaline acetonitrile–water solutions 130
Trajkovska, S.
—, Dzhekova-Stojkova, S. and Kostovska, S.
Determination of validity for blood for transfusion by firefly bioluminescent assay for ATP 246
Traoré, F.
—, Fente, C., Prognon, P. and Mahuzier, G.
Luminarin 3 as a derivatization reagent for the liquid chromatographic determination of cytidine, adenosine and related nucleotides with fluorimetric detection 94

Uzu, S., see Imai, K. 3

Vandeberg, P.J.
— and Johnson, D.C.
Comparison of pulsed amperometric detection and integrated voltammetric detection for organic sulfur compounds in liquid chromatography 317

Van den Berg, R.H., see Jansen, E.H.J.M. 86
Van Stee, L.P.P., see Somsen, G.W. 269
Van Zeijl, W.J.M., see Hofstraat, J.W. 135
Vazquez, L., see Rieutord, A. 215
Velthorst, N.H., see Mank, A.J.G. 103
Velthorst, N.H., see Niederländer, H.A.G. 201
Velthorst, N.H., see Somsen, G.W. 269
Visser, T., see Somsen, G.W. 269
Wallentin, K., see Kronkvist, K. 335
Wang, J.-D., see Wang, X.-M. 349
Wang, X.-M.
—, Chen, H.-Y., Li, S.-Y. and Wang, J.-D.
Studies of inclusion complex of a redox-active barbiturate with β-cyclodextrin 349
Wells, P.B., see Dirjal, N.K. 287
Worsfold, P., see Gachanja, A. 226